

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended) A method for delivering a message to a receiving party, comprising:

receiving a message intended for the receiving party;

determining whether the message should be delivered to the receiving party;

a) translating the message from a source format to message text;

✓ converting the message text to an audible message when the message should be delivered to the receiving party;

✓ initiating a telephony call to the receiving party; and

✓ delivering the audible message to the receiving party during the telephony call.

a
Claim 2 (original) The method of claim 1, further comprising:

obtaining user profile data that identifies at least one criterion for when messages should be delivered to the receiving party.

Claim 3 (original) The method of claim 2, wherein the user profile data includes data identifying at least one of a message source, a message type, a message priority, and a message content.

Claim 4 (original) The method of claim 2, wherein the determining whether the message should be delivered includes:

testing the message against the user profile data, and
determining that the message should be delivered when the message passes the test.

Claim 5 (original) The method of claim 1, wherein the receiving a message includes:
monitoring a message server for arrival of new messages intended for the receiving party.

Claim 6 (original) The method of claim 5, wherein the monitoring a message server includes:
periodically checking the message server for new messages.

Claim 7 (original) The method of claim 5, wherein the monitoring a message server includes:
receiving a notification from the message server whenever a new message arrives.

AJ
cont
Claim 8 (canceled)

Claim 9 (currently amended) The method of claim 8 1, wherein the converting the message text
further includes:

translating the message text into an audible message using a text-to-speech translator.

Claim 10 (currently amended) The method of claim 8 1, wherein the converting the message text
further includes:

creating an envelope from at least one of a From, To, Subject, and Date header fields
corresponding to the message.

Claim 11 (currently amended) The method of claim 10, wherein the converting the message text ~~converting~~ ~~translating~~ ~~the~~ ~~message~~ ~~further~~ includes:

translating the message text and the envelope into an audible message.

Claim 12 (currently amended) The method of claim 8 1, wherein the ~~converting~~ ~~translating~~ the message ~~message~~ ~~further~~ includes:

translating one or more message attachments into attachment text.


Claim 13 (currently amended) The method of claim 12, wherein the converting the message text ~~converting~~ ~~translating~~ the message ~~message~~ ~~further~~ includes:

translating the message text and attachment text into an audible message.

Claim 14 (currently amended) The method of claim 8 1, wherein the ~~converting~~ ~~translating~~ the message ~~message~~ ~~further~~ includes:

determining whether one or more message attachments are convertible into text, and generating a description of the one or more message attachments when the one or more message attachments are not convertible into text.

Claim 15 (currently amended) The method of claim 14, wherein the converting the message text ~~converting~~ ~~translating~~ the message ~~message~~ ~~further~~ includes:

translating the message text and the generated description into an audible message.

Claim 16 (original) The method of claim 1, wherein the initiating a telephony call includes:

determining whether the telephony call reaches the receiving party, and
retrying the telephony call a predetermined number of times if the telephony call fails to
reach the receiving party.

Claim 17 (original) The method of claim 1, wherein the initiating a telephony call includes:

determining whether the telephony call reaches the receiving party, and
initiating a second telephony call to an alternate telephone number if the telephony call
fails to reach the receiving party.

A/cont
Claim 18 (original) The method of claim 1, wherein the delivering the audible message includes:

authenticating the receiving party based on at least one of a user identifier, a personal
identification number, and a password, and
transmitting the audible message to the receiving party after successful authentication of
the receiving party.

Claim 19 (currently amended) A system for presenting a message to a receiving party,
comprising:

means for obtaining a user profile corresponding to the receiving party;
means for obtaining a message intended for the receiving party;

means for testing the message against the user profile, the user profile specifying at least one of a date and time of message arrival;

means for converting the message to an audible message when the message passes the test;

means for initiating a telephony call to the receiving party; and

means for presenting the audible message to the receiving party during the telephony call.

Claim 20 (original) A message delivery system, comprising:

a message receiver configured to:

obtain a message intended for a receiving party,

determine whether the message should be delivered to the receiving party, and

convert the message from a source format to a target format when the message should be delivered to the receiving party; and

a call processor configured to:

convert the message from the target format to an audible format,

initiate a telephony call to the receiving party, and

deliver the message in the audible format to the receiving party during the telephony call.

Claim 21 (original) The system of claim 20, wherein the target format is a text format.

Claim 22 (original) The system of claim 20, further comprising:

a service setup device configured to obtain user profile data that identifies at least one criterion indicating when messages should be delivered to the receiving party.

Claim 23 (original) The system of claim 22, wherein the user profile data includes data identifying at least one of a message source, a message type, a message priority, and a message content.

Claim 24 (original) The system of claim 22, wherein when determining whether the message should be delivered, the message receiver is configured to:

A/cont
test the message against the user profile data, and
determine that the message should be delivered when the message passes the test.

Claim 25 (original) The system of claim 20, wherein when obtaining a message, the message receiver is configured to:

monitor a message server for arrival of new messages intended for the receiving party.

Claim 26 (original) The system of claim 25, wherein when monitoring a message server, the message receiver is configured to:

periodically check the message server for new messages.

Claim 27 (original) The system of claim 25, wherein when monitoring a message server, the message receiver is configured to:

receive a notification from the message server whenever a new message arrives.

Claim 28 (original) The system of claim 20, wherein when converting the message, the message receiver is configured to:

create an envelope from at least one of a From, To, Subject, and Date header fields corresponding to the message.

Claim 29 (original) The system of claim 28, wherein when converting the message, the call processor is configured to:

translate the envelope into the audible format.

Want
Claim 30 (original) The system of claim 20, wherein when converting the message, the message receiver is configured to:

translate one or more message attachments into attachment text.

Claim 31 (original) The system of claim 30, wherein when converting the message, the call processor is configured to:

translate the attachment text into the audible format.

Claim 32 (original) The system of claim 20, wherein when converting the message, the message receiver is configured to:

determine whether one or more message attachments are convertible into the target format, and

generate a description of the one or more message attachments when the one or more message attachments are not convertible into the target format.

Claim 33 (original) The system of claim 32, wherein when converting the message, the call processor is configured to:

translate the generated description into the audible format.

About
Claim 34 (original) The system of claim 20, wherein when initiating a telephony call, the call processor is configured to:

determine whether the telephony call fails, and

retry the telephony call a predetermined number of times if the telephony call fails.

Claim 35 (original) The system of claim 20, wherein when initiating a telephony call, the call processor is configured to:

determine whether the telephony call reaches the receiving party, and

initiate a second telephony call to an alternate telephone number if the telephony call fails to reach the receiving party.

Claim 36 (original) The system of claim 20, wherein when delivering the message, the call processor is configured to:

authenticate the receiving party based on at least one of a user identifier, a personal identification number, and a password, and
transmit the message in the audible format to the receiving party after successful authentication of the receiving party.

Claim 37 (currently amended) A computer-readable medium that stores instructions executable by at least one computer to perform a method for presenting a message to a receiving party, comprising:

Original
instructions for obtaining a message intended for the receiving party, (the message)
including one or more message attachments;
instructions for obtaining a user profile that describes at least one criterion indicating when messages should be delivered to the receiving party determining whether the one or more message attachments are convertible into a target format;
instructions for generating a description of the one or more message attachments when the one or more message attachments are not convertible into the target format;
instructions for initiating a telephony call to the receiving party when the at least one criterion in the user profile indicates that the message should be delivered to the receiving party;
and
instructions for presenting the message with the generated description to the receiving party during the telephony call.

Claim 38 (original) The computer-readable medium of claim 37, wherein the instructions for obtaining a message includes:

instructions for interacting with a message server to obtain the message.

Claim 39 (currently amended) The computer-readable medium of claim 37, ~~wherein the~~ instructions for obtaining a user profile includes further comprising:

instructions for interacting with the receiving party to generate ~~the~~ a user profile that describes at least one criterion indicating when messages should be delivered to the receiving party.

Accept
Claim 40 (original) The computer-readable medium of claim 37, further comprising:

instructions for converting the message from a source format to an audible format.

Claim 41 (currently amended) The computer-readable medium of claim 40, wherein the instructions for converting the message includes:

instructions for translating the message from the source format to ~~a~~ text the target format, and

instructions for translating the message from the ~~text~~ target format to the audible format.

Claim 42 (currently amended) A method for providing enhanced message services, comprising:
interacting with a user to generate a user profile that identifies at least one message criterion that indicates when messages should be delivered to the user;

monitoring a message server for arrival of new messages intended for the user;
processing the new messages, including:
determining whether the new messages should be delivered to the user based on
the user profile,
translating the new messages from a source format to a text format, and
converting the new messages from the text format to an audible format, as into
audible messages, when the new messages should be delivered to the user; and
delivering the audible messages to the user, including:
initiating a telephony call to the user, and
presenting the audible messages to the user during the telephony call.

Abott

Claim 43 (original) The method of claim 42, wherein the interacting with a user includes:
receiving user identification and password data from the user, and
validating the user identification and password data with the message server.

Claim 44 (original) The method of claim 43, wherein the validating the user identification and
password data includes:
attempting to logon to the message server using the user identification and password data,
and
determining whether the logon is successful.

Claim 45 (original) The method of claim 42, wherein the at least one message criterion includes at least one of a message source, a message type, a message priority, and a message content.

Claim 46 (original) The method of claim 42, wherein the monitoring a message server includes: periodically checking the message server for new messages.

Claim 47 (original) The method of claim 42, wherein the monitoring a message server includes: receiving a notification from the message server whenever a new message arrives.

Amend
Claim 48 (currently amended) An automated method for delivering a message to a receiving party, comprising:

receiving a message intended for the receiving party, the message including a message portion and one or more attachments in a source format;
determining whether the one or more attachments can be converted to a target format;
generating a description of the one or more attachments when the one or more attachments cannot be converted to the target format;
converting the message portion to an audible message;
initiating a telephony call to a telephony device associated with the receiving party; and
delivering the audible message and the generated description to the receiving party during the telephony call.

Abigail
Claim 49 (original) The method of claim 48, wherein the telephony device includes one of a
wireline and wireless communication device.
